

certificate  
no. **PS 24100010**  
dated **2024-04-26**



European notified body  
Identification number 0299

Translation In any case the German original shall prevail

*This certificate replaces  
certificate no. 18100028*

## Euro Test Certificate

Name and address of the holder of the certificate: (customer) **Manfred Huck GmbH  
Netz- und Seilfabrik  
Aßlarer Weg 13 - 15  
35614 Aßlar-Berghausen  
Germany**

Product designation: **Safety Net System U**

Type: **Art. 3005-100; Art. 3006-100; Art. 3007-100; Art. 3008-100 (mit angenähertem ISILINK-CLIP)**

Testing based on: **EN 1263-1:2014-12 (D)  
EN 1263-2:2014-12 (D)  
GS-PS-01:2020-07**

Test report: **24 1 0085**

Further details: **Prod.-Id. 18 1 0485 / huckg / art. 3005-100 bis 3008-100 (isilink-clip)  
net class: A2, nominal mesh width: 100 mm  
mesh configuration: square (Q)  
net yarn made of polypropylene, knotless, green  
nominal size of the mesh rope: 5 mm  
rope within the selvage made of polypropylene, green, plaited, 9 mm  
assemble by Isilink-clips made of polypropylene, black (sewn to the safety net)**

The supporting construction and its attachment to the ground or structure are not the subject of this certification.


Intended purpose:  
protective wall in scaffolding

The type tested complies with the test basis specified above. The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2029-04-25**

Further provisions concerning the validity, the extension of validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.



  
Signature Dipl.-Ing. Bertelsbeck



In any case the German original shall prevail



Postal address: **Zwengenberger Str. 68 / 42781 Haan**  
Phone:/Fax: **+49 (0) 21 29 / 576-431 / +49 (0)80066868838090** E-Mail: **psa-zs@bgbau.de**  
Internet: **www.zs-bgbau.de**

ET-mark

---

